




OUTDOOR POWER EQUIPMENT

2017





Blowers

DUB183Z 18V Cordless Blower



- Long leaf blower nozzle with a curved flat end enables the user to use comfortably in an upright posture
- 3 air volume setting, high/medium/low
- Variable speed control by trigger
- Anti-static electricity for comfortable operation

Go Green



Specifications:

Air volume:	2.6m ³ /min
Air speed:	52m/s
No load speed (r/min):	0 - 18,000
Nett weight:	1,7kg



Variable Speed

DUB362Z Twin18V Cordless Blower (36V)



Best grip and nozzle angle for efficient sweeping operation.

Excellent handling and comfortable operation by excellent balance

- Cordless blower powered by two 18V Li-Ion batteries in series.
- 6-stage air volume/velocity selection
- 3-stage telescopic long nozzle with an adjustment range of 100mm (4")
- Reduced noise level


6-stage air volume/
velocity selection
just by adjusting dial.



3-stage telescopic long
nozzle with an adjustment
range of 100mm (4")

Reduced noise level

- 3 blade fan to reduce noise level without losing air volume and velocity
- Double housing structure to minimize the noise level
- Additional sponge inside the housing to absorb the noise level



Specifications:

Air volume:	6,9 - 13,4m ³ /min
Air pressure:	27 - 54m/s
Sound power level:	93.5dB(A)
No load speed (r/min):	11,400 - 21,500
Vibration level	2.5m/s ² or less
Nett weight:	3,5kg

Go Green

Batteries and charger sold separately. Nett weight may vary depending on the battery used




Variable Speed

DUB361Z Twin 18V Cordless Blower (36V)



- Push button for High / low volume settings
- Compact and light weight
- Low noise emissions
- Battery capacity warning lamp

Go Green



Specifications:

Air volume:	Hi: 4,4m ³ /min Lo: 2,6m ³ /min
Air speed:	Hi: 93m/s Lo: 57m/s
Sound power level:	94.7dB(A)
No load speed (r/min):	Hi: 17,000 Lo: 10,000
Nett weight:	2,6kg



Batteries and charger sold separately. Nett weight may vary depending on the battery used



Electronic 2-Speed



Chain Saws

DUC302Z Twin 18V Cordless Chain Saw (36V)

XPT

LXT

LITHIUM-ION

18v + 18v → 36v

Replacement Part No.
Chain Blade: 196740-7
Guide bar: 165245-8

Chain speed (m/min): 500
Cutting length: 300mm
Chain pitch: 3/8"
or 1/4"
Guide bar length: 300mm
Sound power level: 95.4dB(A)
Nett weight: 4.1kg

Go Green

Batteries and charger sold separately. Nett weight may vary depending on the battery used

- Brake
- Chain Brake
- Automatic Oiling

DUC400Z Twin 18V Cordless Chain Saw (36V)

XPT

BL

MOTOR

18v + 18v → 36v

Chain speed (m/min): 20m/s
Cutting length: 400mm
Chain pitch: 3/8"
or 1/4"
Dimesions: 818x215x235mm
Nett weight: 4.9kg

Go Green

Batteries and charger sold separately. Nett weight may vary depending on the battery used

- Brake
- Chain Brake
- Automatic Oiling
- Soft start
- Constant Speed
- Variable Speed

UC4041A Electric Chain Saw

Chain Saws

220V

*Replacement Part No.
Chain Blade: 531492656
Guide bar: 165202-6

Continuous rating input: 1,800W
Chain speed per minute: 870m
Guide bar length: 400mm
Power supply cord: 0.3m
Saw blade:
- Pitch: 3/8"
- Gauge: 0.043" / 0.050"
Nett weight: 4,7kg

UC4051A Electric Heavy Duty Chain Saw

220V

*Replacement Part No.
Chain Blade: 531492656
Guide bar: 165202-6

Continuous rating input: 2,000W
Chain speed per minute: 870m
Guide bar length: 400mm
Power supply cord: 0.3m
Saw blade:
- Pitch: 3/8"
- Gauge: 0.050"
Nett weight: 5,6kg

- Brake
- Chain Brake
- Automatic Oiling
- Torque Limiter
- Double Insulation
- Brake
- Chain Brake
- Automatic Oiling
- Torque Limiter
- Double Insulation
- Soft Start

EA4301F45C Famer Class Petrol Chain Saw

2-Stroke

Standard guide bar 450mm
Saw chain:
- Pitch: 0,325"
- Gauge: 1,3mm
Displacement: 42,4mL
Engine power: 2,2kW
Fuel tank: 0,48L
Chain oil tank: 0,28L
Power head weight: 4,8kg

Go Green

EA3502S Petrol Chain Saw

2-Stroke

Standard guide bar 400mm
Saw blade:
- Pitch: 3/8"
- Gauge: 1,1mm / 1,3mm
Displacement: 35,0mL
Engine power: 1,7kW
Fuel mixture: 50:1
Fuel tank: 0,4L
Chain oil tank: 0,29L
Power head weight: 4,4kg

*Replacement Part No.
Chain Blade: 531492656
Guide bar: 165202-6

- Automatic Oiling
- Capacitor Discharge Ignition
- Chain Brake
- Easy Start
- Anti Vibration
- Primer Pump
- Automatic Oiling
- Capacitor Discharge Ignition
- Chain Brake
- Primer Pump
- Anti Vibration


Grass Shear & Hedge Trimmers



DUM168Z 18V Cordless Grass Shear



- Both trimmer blade and shear blade can be attached.
- Toolless blade replacement.
 - Ergonomically designed rubberized soft grip provides more control and comfort.
 - Red LED lamp for low battery capacity or overload.
 - Cutting height is adjusted at 3 stages. (10mm,20mm,30mm)
 - Durable shear blade with special coating.
 - Lock-off button prevents accidental start-up.



Specifications:

Cutting width:	160mm
Strokes per minute (s/min):	2,500
Vibration level:	2,5m/s ²
Noise:	74dB(A)
Nett weight:	1,4kg



Batteries and charger sold separately. Nett weight may vary depending on the battery used

Grass Shear

DUH523Z 18V Cordless Hedge Trimmer



- User-replaceable blade.
- Anti-vibration structure, 5 cushions to absorb vibration from blade and motor-crank section.
 - Rubberized soft grip provides comfortable and sure grip.
 - Shear blade surface features high anti-abrasion surface for long lasting coating, making it easy to clear and clean.



Specifications:

Blade length:	520mm
Blade type:	Double sided
Cutting diameter:	15mm
Strokes per minute (s/min):	2,700
Tooth spacing:	26mm
Vibration Level:	2.5m/s ²
Sound power level:	84.3dB(A)
Nett weight:	3,1kg



Batteries and charger sold separately. Nett weight may vary depending on the battery used

UH6570 Electric Hedge Trimmer

220V

- Improved handling with Ergonomic multi-grip system
- Each of the three grips is equipped with a switch.
 - Tool starts only when any two pairs of the three switches are pressed at the same time.
 - Guard is provided at the tip of blades to prevent kick-back
 - Blades are coated to improve durability.



Specifications:

Continuous rating input:	550W
Blade length:	650mm
Strokes per minute (s/min):	3,200
Tooth spacing:	18mm
Vibration level:	6.7m/s ²
Sound power level:	97.9dB(A)
Power supply cord:	0.3m
Nett weight:	3,7kg

Hedge Trimmers



Double Insulation



Brake



Torque Limiter



Cordless Lawn Mowers & Grass Trimmers

DLM380DZ Twin 18V Cordless Lawn Mower (36V)



Perfect for home gardens and for environments where low noise levels are required, such as care facilities, old age homes and smaller gardens around hospitals and office complexes.
(Not recommended for garden service)

Cutting width:	380mm
Cutting Height:	25 - 75mm
No load speed (r/min):	3,700
Recommended mowing area:	270 - 540m ²
Vibration:	2.5m/s ²
Noise Level:	81dB(A)
Grass box capacity:	40L
Max. output:	620kW
Nett weight:	14,5kg



Blade Set: 196863-1

Batteries and charger sold separately. Nett weight may vary depending on the battery used



DLM431Z Cordless Lawn Mower



- Less pushing force thanks to deck cover.
- Smooth running wheels thanks to built-in ball bearing on axles.
- Easier installation/removal of grass box; Can be removed by just lifting it up.
- Delivers up to 30 minutes of run time using two 18V LXT 5.0Ah batteries.
- Dual battery fuel gauge located near operator's hand.

Cutting width:	430mm
Cutting Height:	20 - 75mm
No load speed (r/min):	3,600
Recommended mowing area:	475 - 950m ²
Vibration:	2.5m/s ²
Grass box capacity:	50L
Max. output:	730W
Nett weight:	17.8kg



Batteries and charger sold separately. Nett weight may vary depending on the battery used



DUR364LZ Twin 18V Cordless Grass Trimmer (36V)



- 350mm nylon cutting head rotating clockwise
- Prevents grass clippings from flying towards user's side.
 - Can be used as an edger.
 - Nylon cutting head and plastic blade (Optional accessory) can be attached.

No load speed (r/min):	Low	5,000
	High	6,500
Sound power level:	92dB(A)	
Vibration level (Front):	1,7m/s ²	
Vibration level (Rear):	1,2m/s ²	
Spindle size:	M8 x 1,25RH	
Line size:	2.1mm	
Nett weight:	4,0kg	

Soft grip

Constant speed control

- Minimizes reduction in rotation speed under load, increasing operation efficiency.
- Lowers noise under no load.



Aluminium motor housing

Smaller protector for better view of cutting area
Compact protector for nylon cutting head provides better view of the blade tips, without losing the performance for prevention of scattering of grass clippings.

Batteries and charger sold separately. Nett weight may vary depending on the battery used

DUR365UZ Twin 18V Cordless Grass Trimmer (36V)



The most advanced Grass Trimmer to date!

Constant speed control



- Minimizes reduction in rotation speed under load, increasing operation efficiency.
- Lowers noise under no load. (Power increase can be felt compared with the current model, because the rotation speed is maintained during operation even when no load speed is lowered.)

Ergonomic Bike type handle bar
Designed so that the vertical centre line of the handle bar stays aligned with that of user
· Enables user to work in a comfortable posture with less fatigue throughout operation.
· Provides higher manoeuvrability.

Waist cushion
For added comfort in long continuous operation.

Standard with nylon cutting head - Blade not included

Aluminium motor housing
Supplied with Nylon cutting head

Smaller protector for better view of cutting area

Reverse switch for easy removal of grass clippings from the cutting tool

Batteries and charger sold separately. Nett weight may vary depending on the battery used



Grass Trimmers / Brushcutters



DUR187LZ Cordless Grass Trimmer

- Automatic speed control: Automatically changes the cutting speed according to load condition for an optimum operation.
- Lightweight and compact head for reduced operator fatigue.
- BL motor located at trimmer head for improved balance and functionality with no loss of mechanical power.
- High speed and torque for fast and efficient trimming.
- Variable speed control dial (5,500 - 6,000RPM) allows the user to match speed to application.



Specifications:	
No Load Speed:	3,500-6,000r/min
Cutting Width:	Trimmer head: 300mm Plastic Blades: 255mm
Spindle size:	M8 x 1.25LH
Nett weight:	3.1kg



Batteries and charger sold separately. Nett weight may vary depending on the battery used

DUR181Z 18V Cordless Grass Trimmer



- Well balanced tool design.
- Adjustable loop-handle and telescopic pipe shaft.
 - Adjustable cutting head.
 - 5-position pivoting head.



Specifications:	
Cutting width:	260mm
No load speed (r/min):	7,800
Sound power level:	88.5dB(A)
Vibration Level:	2.5m/s ²
Line Size:	1.65mm
Nett weight:	2,9kg

Batteries and charger sold separately. Nett weight may vary depending on the battery used

UR3501 Electric Grass Trimmer

- Cost-effective and lightweight
- Aluminium bent shaft
 - Soft grip

220V



Specifications:	
Continuous rating input:	1000W
Cutting width:	350mm
No load speed (r/min):	7,500
Line size:	2.0mm
Power supply cord:	0.35m
Nett weight:	4,3kg

2-Stroke

- Robust Makita brushcutter ideal for professional brush-cutting.
- Powerful and reliable 40.2mL engine.
 - Perfect balance and an excellent weight-to-power ratio.
 - The rigid drive shaft, durable gear head and aluminium post ensures top-performance all day.
 - Solid state ignition system.

Specifications:	
Displacement:	40,2ml
Engine power:	1,40kW
Fuel tank:	1,1L
Spindle size:	M10 x 1,25LH
Nett weight:	7,1kg

*Standard with nylon cutting head.
*Blade not included.



String Trimmer / Brushcutter



EBH253U String Trimmer

EBH341U String Trimmer

EM4350UH Petrol Brushcutter

MM4

4-Stroke

The world lightest weight commercial, 4-Stroke brush cutter.



- Aluminium straight shaft.
- Meets all environmental standards.
- Comfortable shoulder harness with waist pad and double shoulder straps.
- Toolless holder allows for easy transport of the machine and quick angle adjustment of handle.
- Carburettor: Diaphragm type.



Specifications:


Displacement:	24,5ml
Engine power:	0,71kW
Fuel tank:	0,5L
Spindle size:	M10 x 1,25LH
Nett weight:	5,9kg

*Standard with nylon cutting head.
*Blade not included.

MM4

4-Stroke

Professional-user type for superior manoeuvrability for heavy-duty applications in forestry and construction site area.



- Ergonomic designed handle bar with rubberized soft grip.
- Meets all environmental standards.
- Comfortable shoulder harness with waist pad and double shoulder straps.
- Toolless holder allows for easy transport of the machine and quick angle adjustment of handle.
- Carburettor: Diaphragm type.



Specifications:

Displacement:	33,5ml
Engine power:	1,07kW
Fuel tank:	0.65L
Spindle size:	M10 x 1,25LH
Nett weight:	7,1kg

*Standard with nylon cutting head.
*Blade not included.

MM4

4-Stroke

Bike Handle with rubberized soft grip.



- Professional-user type for superior manoeuvrability for heavy-duty application in forestry and construction site area.
- Low vibration.
- Low running costs.
- Less recoil pulled power by mechanical decompression.



Specifications:

Displacement:	43,0ml
Engine power:	1,5kW
Fuel tank:	0,62L
Spindle size:	M10 x 1,25LH
Nett weight:	8,3kg

*Standard with nylon cutting head.
*Blade not included.

String Trimmers / Brush Cutters

Go Green



Continuous Innovation

More than 60 models to choose from.
using the same battery platform

18V
LITHIUM-ION

LXT
LITHIUM-ION



Tools are not
supplied with drill
bits, discs, etc.

Batteries and
chargers sold
separately

For more info. and your nearest Makita dealer contact
Rutherford: • JHB: 011 878-2600 CT: 021 932-0568 •
DBN: 031 717-6400
www.makita.co.za



MakitaToolsSA



MakitaPowerToolsSA



A MEMBER OF THE **Hudaco** GROUP